

27


LIGHTING PROFILES

Lighting profile range

Lighting profiles with product code, thickness and weight per metre.

LI-42103


1.564 kg/m



Thickness **2.2 mm**

LI-2607


1.510 kg/m



Thickness **1.5 mm**

LI-2442


1.276 kg/m



Thickness **1.2 mm**

LI-2443


0.431 kg/m



Thickness **1.8 mm**

LI-2215


1.188 kg/m



Thickness **1.5 mm**

LI-2216

1.831 kg/m




Thickness **1.5 mm**

Dimensions in mm. Profile weights are theoretical; actual weight at delivery applies.

LI-2209


1.148 kg/m



Thickness **1.4 mm**

LI-2608


0.879 kg/m



Thickness **1.1 mm**

LI-2218


1.976 kg/m



Thickness **2 mm**

LI-2273


0.482 kg/m



Thickness **1.5 mm**

LI-2274


0.397 kg/m



Thickness **1.5 mm**

LI-2275

0.270 kg/m




Thickness **1.5 mm**

Dimensions in mm. Profile weights are theoretical; actual weight at delivery applies.

LI-2206


1.246 kg/m



Thickness **1.5 mm**

LI-2763


1.247 kg/m



Thickness **1.2 mm**

LI-42010


0.200 kg/m



Thickness **10 mm**

LI-2406


0.748 kg/m



Thickness **1.5 mm**

LI-42001


0.677 kg/m



Thickness **1.3 mm**

LI-37098

0.190 kg/m




Thickness **11 mm**

Dimensions in mm. Profile weights are theoretical; actual weight at delivery applies.

LI-2276


0.446 kg/m



Thickness **1.5 mm**

LI-2277


0.845 kg/m



Thickness **1.2 mm**

LI-2217


0.230 kg/m



Thickness **1.5 mm**

LI-2353


0.282 kg/m



Thickness **1.5 mm**

LI-2354


2.843 kg/m



Thickness **2 mm**

LI-42002

1.297 kg/m




Thickness **1.2 mm**

Dimensions in mm. Profile weights are theoretical; actual weight at delivery applies.

LI-42004


0.413 kg/m



Thickness **1.5 mm**

LI-42003


0.623 kg/m



Thickness **2 mm**

LI-42005


0.530 kg/m



Thickness **2 mm**

LI-3085


0.250 kg/m



Thickness **1.2 mm**

LI-3267


4.190 kg/m



Thickness **2.5 mm**

LI-42009

0.160 kg/m




Thickness **8.6 mm**

Dimensions in mm. Profile weights are theoretical; actual weight at delivery applies.

LI-2303


0.527 kg/m



Thickness **1.2 mm**

LI-3356


0.119 kg/m



Thickness **1 mm**

LI-42007


0.251 kg/m



Thickness **1.6 mm**

LI-42011


0.276 kg/m



Thickness **1.5 mm**

LI-42012


0.333 kg/m



Thickness **2 mm**

LI-2600

0.859 kg/m




Thickness **1.1 mm**

Dimensions in mm. Profile weights are theoretical; actual weight at delivery applies.

LI-2601


0.160 kg/m



Thickness 1 mm

LI-2602


0.076 kg/m



Thickness 1 mm

LI-2603


0.120 kg/m



Thickness 1 mm

LI-2604


0.160 kg/m



Thickness 1 mm

LI-2605


0.380 kg/m



Thickness 1 mm

LI-3086


0.352 kg/m



Thickness 1.2 mm

LI-2296


0.321 kg/m



Thickness 3.3 mm

LI-2599

0.171 kg/m




Thickness 1.2 mm

Dimensions in mm. Profile weights are theoretical; actual weight at delivery applies.

LI-2587


1.087 kg/m



Thickness **1.5 mm**

LI-2588


0.640 kg/m



Thickness **1.4 mm**

LI-2593


0.827 kg/m



Thickness **1.4 mm**

LI-2613


0.945 kg/m



Thickness **1.2 mm**

LI-3164


5.265 kg/m



Thickness **50 mm**

LI-2445

1.215 kg/m




Thickness **1.6 mm**

Dimensions in mm. Profile weights are theoretical; actual weight at delivery applies.

LI-2598


0.930 kg/m



Thickness **1.2 mm**

LI-2441


1.420 kg/m



Thickness **1.2 mm**

LI-2211


0.720 kg/m



Thickness **1.5 mm**

LI-2212


0.655 kg/m



Thickness **1.5 mm**

LI-2213


0.840 kg/m



Thickness **1.5 mm**

LI-2200

2.030 kg/m




Thickness **1.8 mm**

Dimensions in mm. Profile weights are theoretical; actual weight at delivery applies.

LI-2205


1.083 kg/m



Thickness **1.5 mm**

LI-2214


1.250 kg/m



Thickness **1.5 mm**

LI-1913


0.119 kg/m



Thickness **1.4 mm**

LI-2076


0.118 kg/m



Thickness -

LI-1786


1.925 kg/m



Thickness -

LI-1312

0.282 kg/m




Thickness -

Dimensions in mm. Profile weights are theoretical; actual weight at delivery applies.

LI-1344


0.233 kg/m



Thickness **1 mm**

LI-1739


0.312 kg/m



Thickness -

LI-1766


0.157 kg/m



Thickness -

LI-1767


0.198 kg/m



Thickness **1.1 mm**

LI-2073


0.175 kg/m



Thickness -

LI-2074

0.227 kg/m



Thickness **1.3 mm**

Dimensions in mm. Profile weights are theoretical; actual weight at delivery applies.